

Aug 7

hemlock

No	height stump	cont top	length tree	defects	number of feet
1	9	7	16		16
2	11	9	24		49
3	12	8	36		110
4	12	7	42		128
5	11	7	30		67
6	16	6	46		184
7	11	8	16		25
8	12	9	12		27
9	8	6	16		9
10	11	6	16		9
11	9	6	20		25
12	13	6	38		116
13	10	8	16		25
14	15	7	36		144
15	11	10	12		27
16	16	8	32		176
17	16	8	32		176
18	23	10	48	100	470
19	13	6	36		80
20	11	6	24		25

1894

No stump	size stump	age top	length tree	defects	Amount
21	14	14	16		114
22	14	13	32	25	194
23	13	6	38		116
24	8	7	12		12
25	12	6	42		114
26	8	6	24		28
27	16	7	42		168
28	12	6	32		72
29	6	4	12		6
30	8	6	24		28
31	17	6	38		152
32	6	6	12		6
33	14	6	42		128
34	16	6	32		50
35	17	6	48		296
36	14	6	42		128
37	9	6	36		46
38	8	6	20		20
39	10	6	24		28
40	16	6	48		192

1412

No stump	size stump	age top	length tree	defects	Amount
41	12	12	34	185	224
42	6	6	24		28
43	7	8	42		208
44	7	6	18		10
45	13	6	36		80
46	7	6	12		6
47	13	7	42		128
48	14	6	50		148
49	14	7	42		168
50	14	12	32		194
51	14	6	44		184
52	10	6	24		28
53	12	7	36		110
54	10	6	26		39
55	6	6	12		6
56	7	6	12		6
57	7	6	12		6
58	12	6	36		80
59	20	18	18	25	200
60	18	6	48		238

2440

No	stump	top	length	defects	total
61	7	6	12		6
62	7	6	12		6
63	14	8	22		128
64	12	10	16	20	49
65	20	9	32		128
66	12	10	14		72
67	10	6	24		28
68	10	6	24		28
69	12	6	42		114
70	10	7	36		80
71	9	6	24		28
72	13	7	30		92
73	12	6	36		80
74	9	7	16		16
75	13	11	16		64
76	10	6	24		24
77	8	6	18		18
78	11	6	36		80
79	7	6	12		6
80	13	6	36		80

1181

No	stump	top	length	defects	total
81	12	6	36		80
82	8	7	16		16
83	18	8	42	25	269
84	10	6	24		28
85	13	6	24		28
86	14	8	32		128
87	7	6	12		6
88	10	6	24		28
89	13	8	36		144
90	7	6	12		6
91	13	7	32		98
92	7	6	12		6
93	10	6	24		28
94	8	7	12		12
95	7	6	12		6
96	7	6	12		6
97	17	8	36		218
98	8	7	12		12
99	14	8	36		110
100	14	6	48		144

1363

No	stump	top	length	defects	total
101	10	6	36		56
102	12	6	36		80
103	14	8	16		28
104	12	6	36		80
105	12	6	36		80
106	7	6	12		6
107	8	6	24		28
108	11	6	36		80
109	14	7	42		168
110	7	6	12		6
111	10	8	32		50
112	8	7	12		12
113	11	6	42		114
114	17	6	50		246
115	10	6	24		28
116	10	6	24		28
117	12	11	36		144
118	16	14	24		179
119	18	8	12		19
120	14	12	16		79

1200

No	stump	top	length	defects	total
121	9	7	24		28
122	11	6	32		72
123	14	8	32		128
124	15	7	32		128
125	9	6	24		28
126	7	6	12		6
127	14	7	42		168
128	19	16	36	76	480
129	16	6	42		168
130	9	7	16		16
131	13	6	36		110
132	15	7	36		144
133	10	6	32		50
134	18	6	32		50
135	12	8	24		28
136	10	8	12		19
137	7	6	12		6
138	10	6	12		6
139	11	6	36		80
140	7	6	12		6

1894

1814

2440

1131

1363

1508

1731

1885

Aug 8th

No.	stump	top	length	defects	total
141	11	6	32		72
142	18	7	44		268
143	7	6	12		6
144	7	6	12		6
145	9	6	24		25
146	14	6	48		174
147	11	7	24		39
148	14	6	42		128
149	12	6	42		114
150	12	6	36		80
151	7	6	12		6
152	12	6	36		80
153	18	13	32	60	318
154	18	6	54		264
155	9	6	24		25
156	11	6	32		72
157	10	6	24		25
158	7	6	12		6
159	7	6	12		6
160	14	10	24		96

1790

No.	stump	top	length	defects	total
161	10	6	36		66
162	10	6	24		25
163	17	7	32		154
164	11	6	36		80
165	8	6	24		25
166	17	9	36		214
167	15	9	30		148
168	8	6	12		6
169	12	10	24		85
170	14	8	24		67
171	17	6	42		206
172	11	6	32		72
173	13	6	32		72
174	9	6	24		25
175	14	6	42		124
176	14	6	42		128
177	12	8	36		110
178	12	6	32		72
179	8	6	16		9
180	14	12	16		79

1770

No	stump	top	length	defects	total
181	15	9	32		154
182	12	7	32		98
183	10	6	24		25
184	9	6	16		9
185	12	7	32		98
186	12	6	32		92
187	8	6	16		9
188	8	6	16		9
189	10	7	24		39
190	15	8	44		216
191	9	6	24		25
192	9	6	24		25
193	13	6	32		98
194	18	6	42		206
195	18	6	64		312
196	14	8	32		128
197	15	8	44		216
198	5	6	16		9
199	10	6	24		25
200	7	6	12		6

1623

No	stump	top	length	defects	total
201	14	6	36		110
202	7	6	12		6
203	8	6	24		25
204	11	6	32		72
205	17	6	60		294
206	13	6	32		98
207	7	6	12		6
208	25	6	64		634
209	8	6	16		9
210	8	6	16		9
211	8	6	16		9
212	8	6	24		27
213	12	6	32		72
214	13	6	48		144
215	18	6	60		294
216	7	6	12		6
217	10	7	24		39
218	9	6	16		9
219	13	6	48		144
220	12	7	32		98

2106

No	strand	top	length	defects	total	No	strand	top	length	defects	total
221	16	7	48		232	247	17	8	44		264
222	10	6	32		50	248	18	9	60		429
223	9	6	24		25	249	12	7	32		98
224	7	6	12		6	250	17	6	42		206
225	18	6	48		236	251	14	6	36		110
226	11	6	24		33	252	12	6	32		72
227	13	6	36		110	253	15	6	36		144
228	10	6	36		56	254	13	6	44		134
229	15	6	36		144	255	9	6	32		50
230	16	14	12	25	86	256	16	7	42		206
231	13	6	32		98	257	13	6	48		144
232	7	6	12		6	258	17	7	48		236
233	18	8	36		214	259	16	6	44		178
234	10	7	32		72	260	18	6	16		9
235	15	10	32	40	194	261	7	6	16		9
236	13	8	32		128	262	11	6	24		35
237	8	6	16		9	263	7	6	12		6
238	13	10	30		148	264	14	6	42		128
239	18	14	24		208	265	15	6	44		178
240	14	6	36		110	266	16	6	48		192
					202						263
					20						2
					2						

no	stump	top	length	defects	total
261	9	6	32		66
262	14	7	44		174
263	11	6	42		114
264	7	6	12		6
265	9	6	16		9
266	13	7	36		110
267	17	9	38		232
268	7	6	12		6
269	7	6	12		6
270	7	6	12		6
271	7	6	12		6
272	11	6	36		80
273	12	7	30		92
274	12	7	32		98
275	13	6	36		110
276	9	6	32		50
277	14	6	36		110
278	10	6	24		25
279	7	6	12		6
280	7	6	12		6

1868

no	stump	top	length	defects	total
281	11	6	32		72
282	14	6	42		128
283	11	6	32		72
284	13	6	40		122
285	8	6	16		9
286	7	6	12		6
287	12	6	36		80
288	8	6	16		9
289	18	6	50		246
290	12	7	32		98
291	11	6	32		72
292	12	7	30		92
293	14	11	16		64
294	9	7	12		12
295	18	11	36		320
296	13	6	38		116
297	9	6	24		25
298	16	6	40		160
299	11	6	36		80
300	12	6	36		80

1868

No	stump	top	length	defects	total
301	14	7	36		144
302	7	6	12		6
303	13	7	36		110
304	12	6	36		80
305	12	6	32		72
306	8	6	24		19
307	8	6	16		9
308	7	6	12		6
309	10	6	24		25
310	13	7	36		110
311	18	9	18		36
312	7	6	12		6
313	10	7	16		16
314	7	6	12		6
315	7	6	12		6
316	12	7	32		98
317	10	6	32		72
318	7	6	12		6
319	7	6	12		6
320	18	6	32		50

283

No	stump	top	length	defects	total
321	8	6	24		19
322	9	6	24		25
323	7	6	12		6
324	11	6	32		72
325	8	6	24		19
326	8	6	24		19
327	10	6	24		25
328	10	6	36		66
329	7	6	12		6
330	8	6	16		9
331	8	6	16		9
332	7	6	12		6
333	9	7	16		16
334	20	7	54		986
335	9	6	24		25
336	9	7	16		16
337	9	7	16		16
338	12	6	48		108
339	12	6	32		72
340	8	6	12		6
	1				

216

No	stamp	top	length	defects	total
341	15	7	42		165
342	11	8	16		25
343	14	11	24		107
344	13	6	36		110
345	11	6	32		72
346	9	6	24		25
347	22	11	48		536
348	9	7	16		9
349	19	7	48		292
350	18	7	48		292
351	17	8	46		280
352	22	17	24		319
353	14	15	16		142
354	12	8	32		98
355	16	10	36		218
356	10	6	32		50
357	14	12	12		59
358	9	7	16		18
359	15	8	32		168
360	11	6	32		72

3048

No	stamp	top	length	defects	total
361	8	7	16		16
362	8	6	16		9
363	18	8	44		248
364	7	6	12		6
365	7	6	12		6
366	10	8	16		26
367	9	7	16		16
368	9	7	16		16
369	9	6	24		26
370	10	6	24		32
371	7	6	12		6
372	13	7	36		110
373	12	7	32		94
374	14	9	24		86
375	8	7	16		16
376	7	6	12		6
377	7	6	12		6
378	9	6	16		9
379	10	6	24		32
380	7	6	12		6

794

No.	stump	top	length	defects	total
381	15	6	36		144
382	7	6	12		6
383	8	6	16		9
384	8	6	16		9
385	10	6	24		36
386	10	7	32		72
387	x 14	6	54		165
388	14	12	12		64
389	7	6	12		6
390	10	6	24		32
391	11	6	32		72
392	7	6	12		6
393	14	6	48		144
394	10	6	24		32
395	10	6	24		32
396	7	6	12		6
397	13	6	48		139
398	7	6	12		6
399	11	6	32		72
400	7	6	12		6

1067

No.	stump	top	length	defects	total
401	8	6	16		9
402	12	6	32		72
403	12	6	54		127
404	13	6	54		165
405	19	8	48		344
406	18	7	56	76	341
407	11	6	36		80
408	9	6	16		9
409	12	6	32		72
410	12	6	48		108
411	8	6	16		9
412	7	6	12		6
413	7	6	12		6
414	12	6	64		127
415	9	6	32		50
416	14	6	54		165
417	11	7	36		72
418	7	6	12		6
419	14	6	44		134
420	10	9	32		72

1067

Aug 9th

No	stump	tops	length	defects	total
421	7	6	12		6
422	16	6	56		224
423	7	6	12		6
424	7	6	12		6
425	18	7	54		396
426	11	6	32		72
427	10	7	32		72
428	7	6	16		9
429	14	6	36		110
430	7	6	12		6
431	19	9	48		344
432	14	6	36		110
433	11	6	36		80
434	13	6	48		144
435	7	6	16		9
436	10	6	42		65
437	11	6	36		80
438	13	6	48		144
439	8	6	24		19
440	7	6	16		9

1911

No	stump	tops	length	defects	total
441	12	6	48		108
442	13	6	36		110
443	8	6	24		19
444	15	10	32		194
445	10	6	24		32
446	11	6	24		32
447	13	6	48		144
448	11	6	24		32
449	8	6	24		19
450	15	7	36		144
451	8	6	24		19
452	11	8	24		56
453	10	8	14		22
454	15	6	54		216
455	15	6	54		216
456	13	6	36		110
457	18	8	48		292
458	9	7	16		16
459	11	6	24		32
460	11	6	26		58

1911

No	stump	top	length	defects	total
461	12	7	16		16
462	9	8	16		25
463	16	6	48		192
464	7	6	12		6
465	12	7	36		110
466	11	6	36		80
467	15	6	48		192
468	9	6	24		19
469	12	6	36		80
470	8	6	24		19
471	16	9	50		304
472	17	8	50		304
473	8	7	16		16
474	10	8	16		25
475	13	6	36		110
476	16	7	48		236
477	9	6	24		19
478	10	7	24		25
479	8	6	16		9
480	12	6	36		80

1867

No	stump	top	length	defects	total
481	13	6	36		110
482	14	6	48		144
483	9	8	16		25
484	11	7	36		80
485	20	6	66		402
486	10	6	36		56
487	7	6	12		6
488	15	7	48		192
489	8	6	16		9
490	7	6	12		6
491	8	6	16		8
492	7	6	12		16
493	9	6	24		19
494	11	6	36		72
495	9	6	24		19
496	12	6	36		80
497	14	6	42		128
498	12	6	48		114
499	14	6	42		128
500	18	10	42		374

1919

No	stamps	top	length	defects	total
501	11	6	32		72
502	13	6	36		110
503	13	6	36		110
504	17	7	42		204
505	16	6	42		168
506	21	7	48	267	344
507	8	6	24		19
508	8	6	24		19
509	10	6	32		50
510	10	6	32		50
511	7	6	12		6
512	13	6	48		144
513	8	6	24		19
514	9	6	32		50
515	13	6	48		144
516	7	6	12		6
517	12	6	36		80
518	19	6	60		304
519	12	6	36		80
520	8	6	24		19

2000

No	stamps	top	length	defects	total
521	19	6	48		144
522	8	6	12		9
523	10	6	36		56
524	8	6	24		19
525	14	6	48		144
526	11	6	36		80
527	11	6	36		80
528	8	6	24		19
529	15	6	48		192
530	7	6	12		6
531	8	6	24		19
532	7	6	12		6
533	13	6	48		144
534	11	6	32		50
535	14	6	48		144
536	15	6	48		192
537	12	6	36		76
538	14	7	48		192
539	10	6	32		50
540	10	6	36		56

1677

No	stump	top	length	defects	total
541	8	7	24		19
542	10	6	24		25
543	10	6	24		25
544	9	6	24		19
545	20	7	48		344
546	10	6	24		25
547	15	6	48		190
548	10	6	24		25
549	11	6	32		72
550	12	10	16		49
551	19	6	60		366
552	14	6	42		128
553	7	6	12		6
554	8	6	24		19
555	7	6	12		6
556	13	7	36		110
557	15	6	42		178
558	12	10	12		49
559	15	6	42		168
560	11	6	32		72

197
161

No	stump	top	length	defects	total
561	7	6	12		6
562	9	6	24		25
563	10	6	24		25
564	9	7	16		16
565	17	6	48		236
566	16	6	48		192
567	14	6	48		144
568	13	6	60		149
569	10	6	42		65
570	14	6	44		134
571	12	6	36		80
572	12	6	38		98
573	10	7	36		80
574	9	7	16		16
575	15	6	44		178
576	9	6	32		72
577	8	6	16		9
578	7	6	12		6
579	10	7	28		68
580	10	6	32		72

123
101

No	Stump	Top	Length	Defects	Total
581	15	6	44		178
582	7	6	12		6
583	10	8	32		72
584	10	6	32		80
585	7	6	12		6
586	12	6	32		72
587	16	7	40		200
588	7	6	12		6
589	11	6	36		80
590	12	6	36		80
591	7	6	12		6
592	10	6	32		50
593	8	6	24		19
594	7	6	12		6
595	10	6	36		56
596	7	6	12		6
597	7	6	12		6
598	12	6	32		52
599	13	6	48		144
600	13	6	48		144

13.65

No	Stump	Top	Length	Defects	Total
601	16	6	48		144
602	22	6	54		286
603	11	6	36		80
604	14	6	48		144
605	8	6	24		19
606	17	6	40		196
607	7	6	12		6
608	21	13	36		300
609	12	6	36		80
610	12	6	48		108
611	16	6	48		192
612	12	6	36		80
613	8	6	24		19
614	13	6	42		138
615	11	8	12		25
616	17	12	16		79
617	7	6	12		6
618	7	6	12		6
619	7	6	12		6
620	7	6	12		6

20.20

No	stump	top	length	defects	total
621	8	6	12		6
622	8	6	12		6
623	15	6	48		192
624	9	6	32		50
625	12	7	32		98
626	15	6	48		192
627	10	6	32		50
628	12	8	36		110
629	7	6	12		6
630	10	6	32		50
631	8	6	16		9
632	11	6	32		72
633	8	6	24		19
634	12	6	36		80
635	9	6	32		50
636	12	6	36		80
637	14	6	48		144
638	7	6	12		6
639	10	6	32		50
640	12	6	36		80

1260

No	stump	top	length	defects	total
641	10	6	24		25
642	8	6	12		6
643	12	6	48		192
644	13	6	48		144
645	9	6	32		50
646	12	6	48		108
647	8	6	24		19
648	11	6	36		80
649	11	6	36		80
650	15	6	48		192
651	7	6	12		6
652	13	7	36		110
653	8	6	24		19
654	11	6	32		72
655	16	6	48		192
656	11	6	32		72
657	8	6	12		6
658	12	6	36		80
659	8	6	16		9
660	7	6	12		6

1472

Aug 10th

No	Strap	Tape	Length	defects	Total
661	8	6	16		9
662	7	6	12		6
663	7	6	12		6
664	7	6	12		6
665	13	7	36		110
666	12	6	36		80
667	11	6	32		72
668	12	6	36		80
669	7	6	12		6
670	18	6	48		236
671	8	6	16		9
672	9	6	24		19
673	8	6	16		9
674	9	6	16		9
675	11	6	36		80
676	11	6	36		80
677	10	6	32		50
678	7	6	12		6
679	10	6	32		50
680	17	6	60		304

1326

No	Strap	Tape	Length	defects	Total
681	14	6	48		144
682	11	6	36		80
683	12	6	48		168
684	9	6	24		25
685	12	6	36		80
686	7	6	12		6
687	12	6	48		168
688	12	6	36		80
689	8	6	24		19
690	14	6	48		144
691	14	6	48		144
692	9	6	24		25
693	12	6	36		80
694	12	6	48		168
695	10	6	32		50
696	11	6	32		72
697	9	6	24		19
698	7	6	12		6
699	19	6	60		304
700	10	6	24		25

1627

No	stump	top	length	defects	total
701	13	6	36		118
702	13	6	36		110
703	7	6	12		6
704	7	6	12		6
705	13	8	38		128
706	11	6	36		80
707	8	7	16		16
708	13	6	48		144
709	12	6	36		80
710	8	6	12		6
711	10	6	32		80
712	12	6	36		80
713	9	8	16		9
714	10	7	48		108
715	13	6	36		110
716	11	9	12		36
717	8	6	12		6
718	11	6	36		80
719	13	6	44		134
720	12	7	36		110

6041

No	stump	top	length	defects	total
721	8	6	24		19
722	9	6	32		50
723	7	6	12		6
724	9	6	24		25
725	12	6	32		72
726	8	6	16		9
727	10	6	36		56
728	10	6	36		56
729	9	6	24		25
730	7	6	12		6
731	10	6	36		56
732	8	6	24		19
733	7	6	16		9
734	8	6	24		19
735	9	6	32		6
736	10	6	36		56
737	9	6	24		25
738	7	6	12		6
739	13	6	48		144
740	13	6	48		144

808

No	stamp	top	length	defects	total
741	8	6	24		19
742	14	7	36		144
743	8	6	24		19
744	8	6	24		19
745	10	6	36		50
746	10	6	32		50
747	10	6	36		50
748	9	6	32		50
749	7	6	12		6
750	7	6	12		6
751	8	6	16		9
752	8	6	16		9
753	19	6	68		414
754	10	6	24		25
755	7	6	12		6
756	8	6	24		19
757	7	6	12		6
758	7	6	12		6
759	8	6	24		19
760	12	6	36		56

539

No	stamp	top	length	defects	total
761	8	6	24		19
762	13	9	32		128
763	8	6	16		9
764	8	6	14		7
765	7	6	12		6
766	8	6	24		19
767	9	6	24		25
768	9	6	24		19
769	15	10	36		218
770	14	6	44		134
771	10	6	32		50
772	7	6	12		6
773	13	7	36		110
774	8	6	24		19
775	9	6	24		19
776	9	6	24		25
777	14	6	48		144
778	16	8	16		25
779	9	6	32		50
780	11	7	32		72

1104

No	stump	top	length	defects	total
781	7	6	12		6
782	7	6	12		6
783	8	6	24		25
784	14	6	36		110
785	9	6	32		50
786	13	6	36		110
787	12	7	30		92
788	12	7	30		92
789	11	6	36		40
790	7	6	12		6
791	7	6	12		6
792	7	6	12		6
793	7	6	12		6
794	17	9	38		232
795	13	7	36		110
796	9	6	16		9
797	7	6	12		6
798	11	6	42		114
799	14	7	44		178
800	9	6	32		50

1294

No	stump	top	length	defects	total
801	7	6	12		6
802	10	6	24		25
803	8	6	16		9
804	15	8	44		216
805	14	8	32		128
806	18	6	64		312
807	18	6	42		206
808	13	6	32		98
809	9	6	24		25
810	8	6	24		25
811	15	8	44		216
812	10	7	24		39
813	8	6	16		9
814	8	6	16		9
815	12	6	32		78
816	12	7	32		98
817	9	6	16		9
818	10	6	24		25
819	12	7	32		98
820	15	9	32		158

1783

no	stump	top	length	defects	total
821	11	6	26		58
822	11	6	24		32
823	9	7	16		16
824	18	8	48		292
825	13	6	36		110
826	15	6	54		216
827	15	6	54		216
828	10	8	14		22
829	11	8	24		36
830	8	6	24		19
831	15	7	36		144
832	8	6	24		19
833	11	6	24		32
834	11	6	48		144
835	11	6	24		32
836	10	6	24		32
837	15	10	32		194
838	8	6	24		19
839	13	6	36		110
840	12	6	48		108

157

no	stump	top	length	defects	total
841	12	6	36		80
842	11	6	36		60
843	16	6	40		160
844	9	6	24		25
845	13	6	38		116
846	18	11	36		320
847	9	7	12		12
848	14	11	16		64
849	12	7	30		92
850	11	6	32		72
851	12	7	32		98
852	18	6	50		246
853	8	6	16		9
854	12	6	36		80
855	7	6	12		6
856	8	6	16		9
857	13	6	40		122
858	11	6	32		72
859	14	6	42		128
860	11	6	32		72

158

No	stump	top	length	defects	total
861	8	6	24		19
862	12	6	36		20
863	19	6	50		304
864	12	6	36		80
865	7	6	12		6
866	13	6	48		194
867	10	6	32		50
868	8	6	24		19
869	13	6	48		144
870	7	6	12		6
871	10	6	32		50
872	10	6	32		50
873	8	6	24		19
874	8	6	24		19
875	21	7	48	25	344
876	13	6	42		168
877	17	7	42		206
878	13	6	36		110
879	13	6	36		110
880	11	6	32		72

2000

No	stump	top	length	defects	total
881	7	6	12		6
882	10	6	24		32
883	9	6	16		9
884	7	6	12		6
885	7	6	12		6
886	8	7	16		16
887	14	9	24		86
888	12	7	32		98
889	13	7	36		110
890	7	6	12		6
891	10	6	24		32
892	9	6	24		25
893	9	7	16		16
894	9	7	16		16
895	10	8	16		25
896	7	6	12		6
897	7	6	12		6
898	18	8	44		268
899	8	6	16		9
900	8	7	16		16

794

No	stump	top	length	defects	total
901	16	6	48		192
902	15	6	44		178
903	14	6	42		125
904	7	6	12		6
905	11	6	24		85
906	7	6	16		9
907	16	6	16		9
908	16	6	44		178
909	17	7	48		236
910	13	6	48		144
911	16	7	42		206
912	9	6	32		56
913	13	6	44		134
914	15	6	36		144
915	12	6	32		72
916	14	6	36		110
917	17	6	42		206
918	12	7	32		98
919	18	9	60		429
920	17	8	44		268

2852

No	stump	top	length	defects	total
	10	9	32		72
	14	6	44		134
	7	6	12		6
	11	7	32		72
	14	6	54		165
	9	6	32		50
	12	6	54		127
	7	6	12		6
	7	6	12		6
	8	6	16		9
	12	6	48		108
	12	6	32		72
	9	6	16		9
	11	6	36		80
	18	7	56	75	341
	19	8	48		344
	13	6	54		165
	12	6	54		127
	12	6	32		72
	8	6	16		9

1954

No	stump	top	length	defects	total
941	13	6	48		149
942	11	6	36		80
943	13	6	48		149
944	10	7	32		72
945	11	1	32		72
946	7	6	12		6
947					
948					
949					
950					
951					
952					
953					
954					
955					
956					
957					
958					
959					
960					

Lumber on N 1/2 S E 1/4 Sec 32

Total amount lumber	77 781
" " W Pine	5 588
" " Maple	1 963
" " Birch	803
" " Spruce	565
" " Black Ash	734
" " Bass	173
	<u>87 467</u>

Page	Page	Page	Page	Page	Page
1	18 84	21	19 54	41	17 43
2	19 14	22	19 11	42	18 71
3	19 40	25	18 71	43	18 13
4	21 31	29	18 67	44	20 00
5	20 23	25	19 19	45	19 94
6	19 68	20	20 00	46	2 8 52
7	17 31	27	16 77	47	19 54
8	17 50	28	19 77	48	5 18
9	17 79	29	15 27		
10	16 23	30	12 26		
11	21 05	31	20 20		
12	20 72	32	12 50		
13	28 52	33	14 72		
14	12 97	34	12 20		
15	15 63	35	16 27		
16	8 83	36	14 09		
17	9 18	37	8 08		
18	20 44	38	9 83		
19	7 94	39	11 04		
20	10 67	40	12 94		

29 76

29 10

19 46
37 781

51

S.W. 18-32-33-6

Buck

No	Stump	Top	Length	defect	total
1	16	8	36		100
2	10	8	12		14
3	14	8	32		120
4	21	12	36		46
5	14	12	12		60
6					803
7					
8					
9					
10					
	White Pine				
1	16	12	42		300
2	18	12	24	100	180
3	12	8	24		32
4	36	22	24	200	800
x 5	20	8	42	100	300
6	8	6	24		19
7	Cull tree about 2 ft through				100
8	23	18	32	253	660
9	31	24	12	226	876
10	16	10	36		218

4852

S.W. 18-32-33-6

52

No	Stump	Top	Length	defect	total
1	16	6	60		140
2	16	4	20		240
3	16	8	16		25

605