

**DOUGALL SINCLAIR,**  
 Saddle Blacksmith and Carriage Manufacturer  
 The Market, Lindsay.  
 Horse Shoeing a Specialty.  
 Jobbing promptly attended to.  
 Give me a call.

# The Victoria Warmer.

**DOUGALL SINCLAIR**  
 Is prepared to furnish at reasonable prices:  
**WAGONS, SLEIGHS, BUGGIES, and CUTTERS,**  
 as good as any he has done in the past. Go and see him. The Market, Lindsay.

\$1 Per Annum in Advance. 5c. a Copy.

LINDSAY, ONT., FRIDAY, MARCH 27, 1896.

Vol. XL.—Whole No 2036



## OPENED THIS WEEK



Our first shipment (ex steamship Ancoria) direct from Glasgow, arrived this week. 10 packages of New, Fresh and Attractive Novelties, comprising the very latest productions.

**Black and Fancy Dress Goods, Sicilians, Lustre, Mohair, Henriettas, etc., imported direct from headquarters. Style, qualities and value right.**

Our stock of Dress Goods was never more attractive. We ask your careful inspection of our large and varied range.

**PRINTS FOR THE MILLION.**—Our immense stock of Prints is now complete, and contains all the latest novelties in Cotton weaves. A grand range of Cotton Fabrics for Blouses, etc. Very handsome designs in Black and White and Mourning Prints.

**5 CASES MEN'S FELT HATS** just put into stock. The newest shapes in Black and Colors, at prices ranging from 50c to \$3.00 each.

Our Stock is now very full and complete in every department, and we have special value to offer.

## WARNER & CO.

LINDSAY AND WOODVILLE.

Lindsay, March 25, 1896.—32-5.



**You Lose TIME**

**WHEN YOU TRY** to find better values than we are giving, because OUR VALUES CANNOT BE SURPASSED.

This week we are offering in **Boots & Shoes** Ladies' Oxford Shoe, patent tip and lacing, razor toe, at \$1.50 Ladies' Dongola Button, patent tip, 20th century style, at \$3.15 Men's Dongola hal. or ooxg. 1/2 dollar toe, at \$2.50. These are extra fine goods, and it will pay you to see them.

**DRY GOODS** We have some special values in Sheetings, 2 1/2 yds wide, at 23c. a yd. Fancy Prints from 5 to 12 1/2c. a yd. Dress Goods from 12 1/2c. a yd. upwards. Fancy Striped Apron Lawn, 12 1/2c. a yd., etc., etc.

### GROCERIES.

**BAKING POWDER**—"Satisfaction Brand," manufactured expressly for us, 1 1/2 lbs. of Powder and Gem Jar, for 25c. **SOAP**—"West End Bar," large bars, 10c. a bar or 3 for 25c. **FIGS**—Choice New Fruit, 4 lbs for 25c.

**W. M. ROBSON,**  
 West End 3 Stores.

### What a Woman Can Do.

She can buy an All-Wool pair of Blankets at our Factory for \$5.50, which retail at \$5. She can buy Tweed for 35c. per yd., which will hold her boy for three quarters of a year. She can buy her husband a 16 oz. Shirt for 30c. Also All-Wool Check Flannel for 20 cts. per yd. She can save 20 per cent. by dealing direct with the manufacturers, and secure goods which will prove satisfactory.

**HORN BROS.,**  
 Lindsay Woollen Mills.

March 4th, 1896.—21-ly.

## FARMERS. WOOD

Opportunity to secure For next few days offers are invited for the Wood on the lot known as the

**DORGAN SWAMP,**  
 Township of Emily.

For particulars apply promptly to **THE RATHBUN CO'S** foreman, Robt. Kennedy, at his shanty on the lot, or at

**THE RATHBUN CO'S**  
 Office, Lindsay.

Privilege of purchasing one or more acres will be given.

G. E. M. BAKER, Agent

### Shorthorn Bull Calves for Sale.

We have for sale three Bull Calves of good breeding from eight to thirteen months old, in fine condition, one color, "all red", in fine condition, one color, "all red", in fine condition, one color, "all red", in fine condition. Box 57, Argyle, Ont.

### Farm for Sale.

Lot 3 and 9, con. 14, of Snowdon, county of Halton, containing 100 acres, situated on the main travelled road between Middle and Guelph, three miles and a half from the station. On the premises there is a new dwelling house, 18 x 26 inside, a barn and other outbuildings. The place is well watered. Ten acres cleared, some fall ploughing done. The soil good, the rest well wooded; plenty of cedar rail timber. I want to sell as I desire to move back where my son is at North Bay; the price is \$800, half down and time for the rest at 5 per cent. I will give a clear title, free of all incumbrances. For particulars, apply on the premises or address to **RUGH LIVINGSTON,** Guelph, P. O. Ont. Feb. 18, 1896.—31-4.

### A NEW DISCOVERY.

**Pilkie's Diphtherine.** A sure cure for all affections of the throat, Diphtheria, Tonsillitis, Quinsy, Gland. The efficacy of this medicinal in curing diphtheria has been proven beyond a doubt by those who have used it. It never fails to effect a cure. Guaranteed to prevent any person from taking Diphtheria that uses it. "An ounce of prevention is better than a pound of cure." For sale by Medicine Dealers. Price 50 cts. and \$1 per bottle, sent to any Mail order address upon receipt of price. P. C. PILKIE, Guelph, Ont.

### The Victoria Warmer

Is published EVERY FRIDAY MORNING at the Office Cambridge St., South of the Market, Lindsay. SAM HUGHES EDITOR AND PROPRIETOR.

### NEW ADVERTISEMENTS.

**Farm for Sale by Tender.** Tendere will be received up to FRIDAY, APRIL 2nd NEXT, for that valuable property known and described as follows:— Lot one to the first concession, and part Lot 4 in the second concession, Township of Bentley, County of Victoria, containing in all about two hundred and fourteen acres, sixty seven of which is said to be cleared and fenced in, and under pasture land six years. This farm is beautifully situated on the shores of WEST BAY OF BALSAM LAKE on opposite shore to ROSEDALE, and being close to the mouth of the new Trent Valley Canal is sure to rapidly increase in value, and is an exceptional opportunity to procure a good farm at a low figure. Applicants desiring further particulars as to terms, etc., must enclose stamped and addressed envelope for reply. Tendere to be marked "Tenders Lot 4 and One," and addressed to **WILLIAM CLAUDE FOX,** Toronto Permanent Buildings, Toronto Street, Toronto, O. 35-2.

### \$1 00.

The Public will please Take Notice That

### Ryckman's Kootenay Cure

HAS BEEN REDUCED TO One Dollar Per Bottle. For Sale by druggists. Merchants will be allowed rebate on old prices for what they have in stock.

**The S. S. Ryckman Medicine Co.**  
 HAMILTON, ONT.

### The Weather.

Report for the week ending Saturday night, March 21st, 1896, from Lindsay observatory:— TEMPERATURE. Highest..... 36° 2'..... Wednesday Lowest..... -1° 7'..... Monday Warmest day, mean of..... 30° 75'..... Thursday Coldest..... -12° 75'..... Sunday The week..... 20° 45'

### PRECIPITATION IN INCHES.

Greatest fall of rain in 1 day, 0.00... Rain fell on 0 day. Greatest fall of snow in 1 day, 5 0... Thursday Snow fell on 2 days. Total rain and melted snow, 0.65.

### T. BRALL.

### NORTH EMILY.

**GRAND SUCCESS.**—The basket social which was previously announced to be held in the ornate hall on March 20th, but was postponed owing to the inclemency of the weather was held on Monday, March 23rd, and was a most decided success. Rev. Mr. Mathers officiated as chairman in his usual good natural manner, while Mr. Geo. McHugh acted as secretary of the baskets, adding much to the success of the sale. The proceeds amounted to \$20, which is in aid of the Sabbath school. **PERSONALS.**—Miss Maria Fogus of Little Britain, is visiting her aunt, Mrs. David Kennedy. Miss Bayley of Brockville is spending a few weeks with her uncle, Mr. Wm. Courtney. **AGRICULTURE.**—Albert Ashmore has taken out an agency to sell fruit trees for the well known Rochester Star nurseries. He will commence duties about the 1st of April. Success "Ab." One of our beautiful young ladies was lately objected to the long hair which she had worn as they were discarded after the next morning. **THE AGNEW MURDER.** Summary of the Inquest. DAMAGING EVIDENCE AGAINST THE PRISONER.—PROVINCIAL DETECTIVE MURRAY ON THE CASE. Since the discovery of the murder last week public interest in the case has not weakened in the least and at each sitting of the jury on the inquest the counsel chamber has been filled to its utmost. The links of evidence are being woven together; the main points have been secured and the police are now fast filling in the minor details with some fresh pieces of evidence each day. In the following few notes full particulars of each witness's evidence are not given, nor yet the evidence of every witness, the case aimed at to give a general summary of the more important points of the evidence. The evidence given at the inquest held at the Agnew home Wednesday morning brought out the particulars concerning the body found in the snow, the probable movements of the murderer as traced in the snow, all that happened previous to Mr. Agnew's going out to the stable etc. On Thursday morning Chief Bell arrested John Kearney on suspicion of being the murderer. Patrick Kearney, brother of John, was arrested in the afternoon of same day. Just what clues the chief possessed were brought out at the inquest. As it was rumored that the local police had obtained some important matter relative to the murder and in view of the arrest of the Kearney Bros., public interest ran high, and at the inquest Friday night in the counsel chamber, the place was literally packed with people. As was anticipated an important information was brought out regarding the hitherto mysterious affair. FRIDAY'S INQUEST. Chief Bell's evidence explained the reason for the arrest. On Wednesday on information received from Pat. Kearney, the chief went to the Kearney home and Mr. P. had described the people of the house helped in the search. In the morning I saw Pat. leaving Agnew's (where John worked) going towards his home, I met Pat., who wanted to see his brother and after arresting him went about getting the watch and revolver from John. THE WATCH. John Elliot sworn, said— I live at Logie's— am employed there along with John. Wednesday morning, I saw a watch in Jack's possession and knew it was a different one from the one he used to carry; Elliot was shown the watch found in Kearney's cellar, but could not identify it as the one he had seen with Jack, but on closer examination how ever, he pronounced it the same. Elliot could recognize a revolver shown the one found in the cellar said it was not the same one. On going to bed Tuesday night about 9 45, he heard a shot in the direction of Agnew's or Pumpkin Hollow. Mrs. Kearney's evidence went to show that when Pat had brought home the revolver and watch Wednesday morning, could not say why he had brought them; did not examine them closely; had told him to put them out of her sight. John Patrick, Jeweler, gave some important evidence about the watch. He had repaired Agnew's watch several times and would know it again if he saw it. The watch found in the cellar was Agnew's. He knew this because the repairs numbers in his books correspond to that on the watch. He would know the watch anyway, having handled it frequently. James Kearney, father of prisoners, said that the articles found in the cellar were put there by his son Pat., who said he had obtained them from Jack. THE REVOLVER. Among the most important evidence given about the revolver was that of Burke, Koch, Heman, Bush, and Henry Logie. Burke and Heman related, during the trial, that they were passing three boys Kearney, Bush and Koch, on the night of the murder, the 17th, about 9 o'clock. When a short distance away they heard a pistol shot, but could not say who fired it. Edward Koch sworn, said he was one of the three boys. Kearney fired two shots—did not notice him fire the first, but saw him fire the second in the air— took no particular notice of the revolver, and would not know it if he saw it again. Henry Bush's evidence showed that Kearney, Koch and himself were standing at Sadler's corner on the night of the 17th about 9 20. He knew the time because Joe Grzeszeli who passed them asked the time, and Kearney had taken out his watch and said 9 20. He took the three boys Kearney, Bush and Koch, to the first shot. Asked him the calibre of the revolver and was told 32 calibre. I did not see a pistol in any other person's hand. Henry Logie being sworn, said— Kearney has been in my employ since November last, found him last working; never heard a bad word from him. Kearney gave me a pistol to keep some time ago; I put it away but he (Kearney) had taken it again. Saw a pistol in Kearney's possession about a week ago. Could not say what time he came in on the night of the 17th, although he sleeps in the same bed as myself. Pat came to my place from Agnew's Wednesday morning, and asked if his brother had been out late Tuesday night. I said yes. He did not give any reason for asking the question. I did not notice anything peculiar about Jack that night. Pat met his brother, he fainted, in the cow shed, where Jack was working. Dr. Clarke's report read as follows:—"We found the body lying well nourished, of large frame; apparently that of a man of over 70 years of age. We found on the left side an incisional hernia, and a benign, probably fatty, tumor on back of right arm and shoulder. There were no external marks of violence with the exception of a wound on left side of neck about 2 inches below and 1/2 inches posterior to lotus of left ear, with considerable swelling surrounding it, and also powder marks. We found also a promontory being the right ear, from which we extracted a bullet from beneath the skin about one and a-half inches behind center of right ear. On tracing the track of the bullet through the wound from left to right through the soft part, we found it had passed through the spine, producing a comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to right through the soft part, and the comminuted fracture of the left side posterior arch of the second cervical vertebra, nearly severing the spinal cord, severing the right vertebral artery, producing a comminuted fracture of the right side of posterior arch of the second cervical vertebra, and passing through the soft parts we found it lodged under the skin about 1 1/2 inches behind the center of the right ear. The direction of the wound from left to