. Want Ads

FOR SALE

WELL seasoned firewood, John Taxioli, Tel. H.P. 3931 or 3785.

FOR SALE BY OWNER

Charming older home, 5 bedroom, 2 bath, auto, oil heat, valuable corner lot, excellent Tel. H. P. location, 1872.

NOT TOO EARLY to buy Christmas Cards; We have a beautiful selection; Plain or name imprinted. Some 50 for \$1.00-Tel. H. P. 1461.

FOR SALE: 1941 four-door special Buick. 4-band radio; underseat heater; white wall tires; seat covers; very good condition; \$850. Tel. H. P. 405 between 6 and 7 p.m.

WELL-SEASONED fire wood for sale. Any length. \$16 per ton delivered. Tel. H.P. 6681.

REAL ESTATE FOR SALE -Libertyville; contractor-owner. 6-room home; hall, sun porch, natural fire place, 11/2 baths, Little Giants Open finished attic, full basement, Grid Campaign Against stoker forced-air heat, 2-car garage. Lot 100x150 feet in re- Oak Park Saturday stricted Oakwood Terrace. Must be seen to be appreciated; by appointment. Tel. Libertyville 736R.

HOUSEHOLD GOODS

RUGS-Like new. Forest green be played on the local field. shag. 5 rugs-6 ft x 9 ft; 2all day Sunday.

MODERN, new, dark green living ble. Those assisting Mr. Floyd are room chair. Rich material blends | Mr. Panther and Mr. Hamill. with all colors. Reasonable. It'll look handsome in your home Call H. P. 6348 evenings after 6:30 and all day Sunday.

BEAUTIFUL, like-new book-caseend-table. Also can be used as corner dressing table. Call H P. 6348 evenings after 6:30 and all day Sunday.

COLONIAL, PORTABLE mantel fireplace. White brick front Green finish. Including brass and cast iron andirons. Electric birch logs, too! Call H.P. 6348 evenings after 6:30 and all day Sunday.

CLOTHING FOR SALE

BEAUTIFUL MAR-MINK fur Dorough, Edgar Jett and Alan coat, Mink-like in apprarance. Kidd Latest style turned 'cp cuffs. Flared back. Size 16. Call H.P. 6348 evenings after 6:30 and all day Sunday.

Help Wanted

LOOKING FOR A JOB?

Ask the Girl Who Has Zagnoli. One — a TELEPHONE OPERATOR .at Illinois Bell

- \$152 a month to start
- Paid Vacations
- Good Working Conditions

See Miss Connolly

21 South St. Johns Ave. Highland Park, Illinois

WANTED TO RENT

WANTED TO RENT-Quiet, neat couple need an apartment or few rooms; no children or pets; Tel. H. P. 4128.

Miscellaneous

Highland Park, Illinois.

BUSINESS SERVICE

TSPING SERVICE-Prompt, efficient work. Manuscripts, addressing, etc. Tel. H. P. 3236.

NO FROST-Keeps glass clear of snow, steam, frost in any weather. For windshields, windows, eye glasses, etc.-\$1.00 postpaid. Otis Rossell, Box 5 Waltersburg, Pa.

LAWNS seeded, fed, rolled, LANDSCAPE.

FRANKEN BROS. NURSERY Tel. Deerfield 241

EXPERIENCED

DRESSMAKING and Alterations on coats, suits and dresses; Fur coat repairing. Expert workmanship Tel. H. P. 1508. 571 Central

SEPTIC TANKS CLEANED Motorized equipment; reasonable rates; sewer and septic tanks built and repaired; 500 gallon septic tanks installed.

Tel. Northbrook 223-J-1

MANURE

For Hot Beds BLACK DIRT

Menoni and Mocogni Phone, Highland Park 518

By Mike Gilroy and Jim Varney

Highland Park high school's Little Giants will open their 1949 football season Saturday, Sept. 24 against the Oak Park Huskies in a Suburban Conference game to

Coach Dave Floyd has a large 6 ft x 6 ft; 6-27 in. x 48 in.; job on his hands in order to field 4-36 in. x 60 in. Call H. P. a formidable team to represent 6348 evenings after 6:30 and the local high school this year as he lost all but five men who saw action in last years league scram-

> Those returning are: George Glader at a guard slot; Wayne Wagner and Ray Santi at the tackle positions; Rollie Zagnoli at center and Don Coleman in the backfield.

Probable Starting Lineup

Besides the above named the starting linup will probably include Joe Larússo and Rex Morgan at the ends; Bob Phillips at the other guard slot with Jim Bench, Paul Jones and Don Piper rounding out the backfield. List of Squad

The complete roster of the 1949

squad is as follows: Ends-Joe Larusso, Rex Morgan, Dave Swartz, Jon Anderson, Dick Baldwin, Art Buller, Philip

Tackles-George Enjian, Jim Faulkner, Jim Humphrey, John Masinelli, Jack Riggio, Ron Shepherd, Ray Santi, Wayne Wagner and Bill Wertheimer.

Guards-Mike Azzone, J. A Condon, Ron Danielson, George Glader, Sam McMaster, Bob Phillips, Dick Stallman and Ed Walker. Centers-Jules Levy, Carl Sudbrink, Fred Schweiger and Rollie

Backs-Don Booth, Jim Bench. Bruce Bulmer, John Eubanks, Joe Greco, L. Grimmerson, Paul Jones, Ed Moore, Don Piper, Don Coleman, Skip Schwartz, Henry Swanson and Henry Tuttle.

Music Club-

(Continued from page 2)

music at the Oak Terrace school. A talented violinist, she was grad-Employment Supervisor | uated from the University of Wisconsin and received her Master's degree in Music at Northwestern University. She will play violin compositions of Fritz Kreisler and a Hungarian Dance by Brahms.

> Later tea will be served by Mrs. Lisle Hawley and her committee, consisting of Mesdames George W. Hinn, Herman Pomper and Arthur Raff.

Newly elected officers of the club are as follows: President, Mrs. Henry Clifford Hawes; 1st vice-president, Mrs. Virgil Musser; 2nd vice-president, Mrs. Lisle WANT TO BOARD two ponies Hawley; corresponding secretary, with saddles etc. for use of Mrs. Thomas M. Wilder; recordsame until April 30 to party ing secretary, Mrs. Frank L. with farm or facilities-very Frable; treasurer, Mrs. James B. gentle-used to children. Write Garnett, Mrs. George M. Lyman; (W.O.) Box 802, H. P. Press., member-at-large, Mrs. W. M. Johnson; president of choral ensemble, Mrs. Carl Lamley; chairman of trail board, Mrs. Kenneth - Kraft, chairman of membership, Mrs. Dudley Hall, chairman of publicity, Mrs. Arthur Raff.

LEGAL

AN ORDINANCE ESTABLISHING, RE-VISING AND AMENDING RULES AND REGULATIONS AND PRESCRIBING AND AMENDING STANDARDS FOR THE CONSTRUCTION, ERECTION, EN-LARGEMENT, REMODELING, ALTER-ING. REPAIRING, RAISING, LOWER-ING. UNDERPINNING, MOVING OF RAZING BUILDINGS, STRUCTURES OR PORTIONS THEREOF AND REG-ULATING THE EQUIPMENT THERE-FOR (AMENDING, REVISING OR RE-PEALING CERTAIN SECTIONS OF ARTICLES 1 to 35, INCLUSIVE, OF CHAPTER 17 OF THE HIGHLAND PARK CITY CODE)

BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF HIGH-LAND PARK, LAKE COUNTY, ILLI-

SECTION I. That certain sections of the Building Code, being Sections of Articles 1 to 35, inclusive, of Chapter 17 of the Highland Park Code, be and they are hereby amended, deleted or enacted as follows:

(a), being a subsection of Section 6. Article 11, Chapter 17 of the Highland Park City Code, as amended, be and it is hereby further amended as follows:

a. That paragraph 474, Subsection

1. That Roman numeral VI in the third line of said Section and subsection, as amended, is hereby amended to read "V".

b. That Subsection (b) of Paragraph 474, being Subsection (b) of Section 6, Article 11, Chapter 17 of the Highland Park City Code is hereby amended and as amended shall read as follows:

1. "(b). In every building hereafter erected or converted to the use of a Class III building as herein classified, every habitable room shall have a window or windows with a total glass area equal to at least one-tenth of its floor area, opening onto a street, alley, yard or court. None of such required windows shall have a glass area of less than ten square feet and each such window shall have its top not less than six feet above the floor and shall be so constructed that it may be opened for at least one-half its area. In each dwelling unit there shall be at least one room containing not less than one hundred and twenty square feet of floor area, and every other room shall contain at least eighty square feet of floor area; provided, however, that in the case of a room having a window not less than eighteen feet in area opening upon a public street, the floor area need not be greater than seventy feet. Each room shall be in every part not less than seven feet in width nor less than seven feet six inches high from the finished floor to the finished ceiling; provided, however, an attic room need be seven feet six inches high in but one-half of its area, provided there are not less than seven hundred fifty (750) cubic feet of air space there-

c. That Paragraph 474 of the Highland Park City Code, being Section 6 of Article 11, Chapter 17 of said City Code, shall be and is hereby amended by adding thereto the following Sub-sections which shall hereafter be known and referred to as Subsections (e) and (f) thereof, as follows:

1. "(e) Rooms or spaces in which units or devices for the heating are contained shall have a floor area of not-less than forty (40) square feet and natural ventilation by means of windows, or an incombustible duct having direct connection with the out-ofdoors. The cross Sectional area of the duct on the vent opening of window shall be equal to at least 5% of the floor area of the room

or space. "The floor shall be incombustible material equal to fire resistive value of four inches of concrete. The enclosing walls shall be equal in fire resistance to four inches of hollow clay tile unplastered. The ceiling shall be equal in fire resistive value to three coats of gypsum plaster on metal lath on wood ceiling joists. Doors connecting this room with other portions of the building shall be self closing and equal in fire resistive value of a solid wood door 134" thick. =2. "(f) No building of Class III shall have a ground area of less than six hundred square feet exclusive of garage and porches."

d. That Paragraph 476, being Section 8 of Article 11, Chapter 17 of the Highland Park City Code, be and it is hereby amended by adding thereto the additional proviso as

1. "... provided, however, that approval mechanical ventilation capable of changing the air contents of the room once every three minutes may be accepted in lieu of the window above required."

e. That Paragraph 477, being Section 9, Article 11, Chapter 17 of the Highland Park City Code, be and the same is hereby repealed and deleted. f. That Paragraph 479, being Section 1, Article 12, Chapter 17 of the Highland Park City Code, be and it it hereby amended and as amended shall read as follows:

1. "479. Class IV Defined. 1. In class IV shall be included every building referred to in subdivisions class IVa, class IVb, class IVc and class IVd.

g. That Article 12, Chapter 17 of the Highland Park City Code be and the same is hereby amended by adding thereto Section 43 as follows:

1. "Section 43. Class IVd defined. In class IVd shall be included every theater (motion picture or otherwise) hereafter erected."

which section shall be hereafter known and cited as Paragraph 520a of the Highland Park City Code.

h. That Article 12, Chapter 17 of the Highland Park City Code be and the same is hereby further amended by adding thereto Section 44 as fol-

1. "Section 44. Requirements. The requirements for all buildings of Class IVd shall conform with those for Building of Class V Hereafter Erected' as set forth in the 'Building Ordinance of the City of Chicago Revised Code of 1922 as amended up to and including July 29, 1930.

which section shall be hereafter known and cited as Paragraph 520b of the Highland Park City Code.

i. That Subsection (a) of Paragraph 535 of the Highland Park City Code, being Subsection (a), Section 15, Article 13, Chapter 17 of said Code, be and it is hereby amended and as so amended shall read as

follows:

1. "535. Courts-Inner-Outer-Lot Line. 15. (a) 'Inner courts' of all new apartment houses, as defined in Section 523 of this code, shall have minimum widths at

every point and minimum areas, Least area Height of in sq. feet

story stories 3 stories J. That Subsection (e) of Paragraph 535, being Subsection (e), Section 15. Article 13, Chapter 17, be and it is hereby repealed, and in lieu

1. "(e) Lot line courts open at both ends shall have a minimum width of 5' 0"."

thereof said Subsection (e) shall be

and read as follows:

k. That Paragraph 535, being Section 15, Chapter 13, Article 17 of the Highland Park City Code be and it is hereby amended by adding thereto the following provision, which shall be hereafter known and cited as Subsection (f) of said section:

1. "(f) Every court not otherwise accessible at the bottom shall be made accessible by a door or other means to enable it to be cleaned."

 That Paragraph 538 of the Highland Park City Code, being Section 18, Article 13, Chapter 17, thereof, be and the same is hereby repealed. m. That sub-Paragraph (b) of Paragraph 539 of the Highland Park City Code, being Subsection (b), Section 19, Article 13, Chapter 17 thereof, be and it is hereby repealed, and the following subsection (b) is hereby enacted and shall operate in lieu

1. "(b) In each dwelling unit there shall be at least one room containing not less than one hundred fifty square feet of floor area and every other room shall contain at least eighty square feet of floor area, except kitchens which shall contain at least sixty square feet of floor area. Each room shall be in every part not less than seven feet in its least dimension. except kitchens which shall be not less than six feet. Each room shall be not less than seven feet six inches high from the finished floor to the finished ceiling, provided, however, an attic room need be seven feet six inches high in but one-half of its area, provided there are not less than six hundred seventy five cubic feet of space therein.'

n. That sub-Paragraph (a) of Paragraph 541 of the Highland Park City Code, being Subsection (a), Section 21, Article 13, Chapter 17 thereof, be and it is hereby amended and as amended shall read as follows:

1. "(a) In every new apartment house every habitable room shall have a window or windows with a total glass area equal to at least one-tenth of its floor area opening onto a street, alley, yard or court. None of such required windows shall have a glass area of less than ten square feet, and each such window shall have its top not less than six feet above the floor and shall be so constructed that it may be opened for at least half its area."

o. That sub-paragraph (b) of Paragraph 541 of the Highland Park City Code, being Subsection (b), Section 21, Article 13, Chapter 17 thereof, shall be and the same is hereby amended by adding to Subsection (b) the following:

1. ". . . . or shall have approved mechanical ventilation of sufficient capacity to change the air contents of the room at least once every three minutes."

and by adding thereto Sections (d) and (e), which shall be hereafter so cited, as follows:

1. "(d) For the determination of ventilation and lighting requirements, the floor area of an alcove shall be considered as part of the area of the room to which it is connected up to thirty per cent of such room, but it shall not be considered as part of the minimum areas required by Section 539. Any alcove containing a floor area greater than thirty per cent of the floor area of the room to which it is connected, shall comply in all respects with the requirements for a separate room. The opening between an alcove and the room to which it is connected shall be unobstructed and shall be equal in area to not less than twenty per cent of the entire wall area of the alcove."

2. "(e)" Rooms or spaces in which heating units or devices are contained shall have a floor area of not less than forty (40) square feet and natural ventilation by means of windows, or an incombustible duct having direct connection with the out-of-doors. The cross sectional area of the duct on the vent opening of window shall be equal to at least 5% of the floor area of the room or space.

The floor shall be incombustible material equal to fire resistive value of four inches of concrete. The enclosing walls shall be equal in fire resistance to four inches of hollow clay tile unplastered. The ceiling shall be equal in fire resistive value to three coats of gypsum plaster on metal lath on wood ceiling joists. Doors connecting this room with other portions of the building shall be self closing and equal in fire resistive value of a solid wood door 1-34"

p. That Paragraph 544 of the Highland Park City Code, being Section 24, Article 13, Chapter 17 thereof. be and the same is hereby repealed and reenacted and as so revised shall read as follows:

 "544. Entrance Halls — Solid Masonry—Exceptions—Ceilings. 24. In every new non-fireproof apartment house, except where there be only one apartment on each floor, the entrance hall shall be enclosed with masonry walls and with ceilings covered with incombustible material at least equal in fire resistive value to metal lath and

q. That Paragraph 545 of the Highland Park City Code, being Section 25, Article 13, Chapter 17 thereof, be and the same is hereby amended and as amended shall be as follows:

1. "545. Stair Halls - Construction of. 25. In every new nonfireproof apartment house all stair halls shall be enclosed on all sides with walls of masonry of the dimensions required by Section 588 of this code. All windows in stair halls, except where same open into a street, alley, outer court, or yard, shall have metal frames, and sashes, glazed with wired glass.

"In every corridor type apartment house building of ordinary or heavy timber construction, every public corridor shall have walls, floors and ceilings of not less than two hour fire resistive construction. Every doorway from such corridor to a dwelling unit shall be equipped with a door not less fire resistive than a solid wood slab door 1-34"

p. That Subsection (a) of Paragraph 547 of the Highland Park City Code, being Subsection 27, Article 13, Chapter 17 thereof, be and it is hereby amended and as amended shall

read and be as follows:

1. "547, Apartments Divided by Masonry. 27. (a) There shall be a wall of masonry, of thickness as required by Section 588 of this code, extending from the ground to the roof between each set of apartments and around each court and each light shaft, except as hereinafter provided; provided, however, that a wall between apartments and extending from the main stair hall to the outer wall of the building may be off-set at the second story floor line to some point nearer the center of the building, or of the group of apartments, to admit of an even distribution of space in the rooms adjacent to such wall, if such wall is supported at the second story floor line on, fireproofed steel or iron beams which extend from the wall surrounding the main stair hall to the outer wall of the building; except that such off-set wall may be reduced to the thickness of eight inches, if supported at each floor line above the first story on fireproofed steel or iron beams carried by masonry walls as above specified; (b) provided, however, that in case there is a store or stores in the first story of a building of this class, a masonry dividing wall between apartments may begin at the second story floor line, if such dividing wall is supported on fireproof steel or iron beams carried by masonry; and provided, further, that such dividing wall may be reduced to the thickness of eight inches, if supported at each floor line above the first story on fireproofed steel or iron beams/carried by masonry; and provided that in buildings of fireproof construction the partitions between apartments and around stairs shall be of not less than two hour fire resistive construction (according to the National Board of Fire Underwriters current standards). The floor and roof and the ceilings within the stair hall shall be of one hour fire resistive construction according to the National Board of Fire Underwriters current standards."

s. That sub-paragraph (b) of Paragraph 547 of the Highland Park City Code, being Subsection (b) Section 27, Article 13, Chapter 17 thereof, be amended and as amended shall read and be as follows:

 "(b) In buildings of ordinary construction two separate thicknesses of metal lath and fire-resisting plaster may be used as fireproofing for steel members as required by this section."

t. That Paragraph 548 of the Highland Park City Code, being Section 38 of Article 13, Chapter 17 thereof, be amended and as amended shall be and read as follows:

1. "548. Ceilings Over Stores-Courts and Shaits Beginning Above First Story. 28. In every new nonfireproof apartment house in which there is a store or stores in the first story, the entire floor constructed over the first story shall be rated not less fire resistive than 2 hours or 1/2 hour if a sprinkler system is installed and operated in accordance with standards of the National Board of Fire Underwriters now on file in the office of the City Building Inspector, which sprinkler standards are hereby adopted as the standards of the city and made a part of this code to those standards and tests contained by reference.

u. That sub-paragraph (a) of Paragraph 555, being Subsection (a), Secshall be and read as follows:

1. "(a) Every apartment house shall have at least two flights of which stairs shall be as far apart as practicable and one of said stairways shall be an interior stairway, provided, however, that in buildings not exceeding two stories in height, only one stairway need be constructed if the stairway is enclosed in masonry walls in accordance with Section 588; if the stairs, landings and platforms are constructed of incombustible materials; District No. 108 if all doors leading to the stairway are no less fire resistive than solid wood one and three fourths inches thick and if the maximum distance to the entrance door of the stairway of any apartment is no greater than twenty feet; and further provided three stories in height and fireproof construction throughout, only if the stairway is constructed and located in all respects as above set a fire resistance rating of not less than 2 hours according to current standards of the National Board as being factual and definite. of Fire Underwriters, across which access may be had to another similarly constructed stairway in the same building. Such stairs and the public halls in every apartment house shall be at least three feet They are: wide in the clear, and every apartment shall be directly accessible from all required stairs without ucation by paying adequate teachgoing through any other apart-

Highland Park City Code, being Sec-Highland Park City Code, be and It new buildings. is hereby repealed.

Highland Park City Code, being Sec-

Highland Park City Code, being Section 19, Article 15, Chapter 17 thereof, be and it is hereby repealed in schools, its entirety; that in lieu thereof that said paragraph and section aforesaid shall hereafter be and read as follows:

1. "599. Vaults Beneath Side City of Highland Park.'

y. That Paragraph 637 of the Highland Park City Code, being Section amended shall be and read as fol-

1. "637. Walls Forming Smoke Flues-Lining. 5. The walls forming smoke flues of one hundred and forty-four square inches area or less shall be of brick, concrete, stone or of any one of these and burnt fire-clay flue tile lining, and such flue linings shall extend from hundred and forty-four square high school in establishing freshthree hundred square inches area man classes.

shall be of brick, concrete, stone or any of these and burnt fire-clay flue lining. If any of the above materials is used alone, it shall be not less than thirteen inches in thickness. If any one is used in combination with burnt clay flue tile lining it shall be not less than nine inches in thickness and the fire-clay flue tile lining shall not be less than three-fourths inch in thickness and built as herein required. The walls forming flues having an area greater than three hundred square inches shall be built of one of the materials described above, not less than twelve inches in thickness; provided, however, that the materials of which all chimneys are constructed shall be so proportioned that it will not be subjected to a greater stress than is permitted by this code for such material.

"Wrought iron or steel smokestacks shall be permitted but must be lined with fire bricks for at least thirty feet of their height. These metal stacks must be kept well painted and well guyed to insure safety to adjoining property and to life. No guys for any such stacks shall cross over or be anchored in any public thoroughfare without consent be first obtained from the council for such purpose."

z. That Paragraph 652 of the Highland Park City Code, being Section 20, Article 16, Chapter 17 thereof, be and the same is hereby amended and as amended shall be and read as follows:

1. "652. Smoke Pipes Through Wood Partitions. 20. No smoke pipe shall pass through wood or other combustible construction or shall pass within 18 inches thereof, except that the minimum distance may be 9 inches to combustible construction above smoke pipes if such construction is protected by an incombustible shield on incombustible supports and located not less than 2 inches from the combustible construction."

aa. That Paragraph 655 of the Highland Park City Code, being Section 23, Article 16, Chapter 17 thereof, be and the same is hereby amended and as amended shall be and read as follows:

1. "655. Enclosure of Heating Units. In all portions of all buildings, except basements of Class III. heating units shall be separated from habitable spaces by floor and wall construction having a fire resistive value of not less than one hour. Doors leading to such spaces shall not be less resistive than solid wood slab doors one and threequarters inches thick."

bb. That Paragraph 660 of the Highland Park City Code, being Section 28, Article 16, Chapter 17 thereof, be and the same is hereby amended and as amended shall be and read as follows:

1. "660. Pipes for Distribution of Hot Air. 28. Where pipes are used for the distribution of hot air in buildings and are placed within combustible partitions, such pipes must be made of metal. Such pipes are to be made with airtight joints and to be securely fastened to the partitions through which they pass.

SECTION II. All fire resistance

standards herein specified shall refer

in Appendix "A", pages 164 to 187, inclusive, of it National Board of Fire Underwriters A. D. 1949 edition, which Appendix has been heretofore adopted tion 35, Article 13, Chapter 17 of the as the building code standards of the Highland Park City Code, be and it City of Highland Park and which are is hereby amended and as amended on file in the office of the City Building Inspector.

SECTION III. This ordinance shall be in full force and effect from and stairs which shall extend from the after its passage, approval, recordation entrance floor to the top story and and publication, as required by law. Robert F. Patton,

V. C. Musser City Clerk Filed: August 29, 1949 Passed: Sept. 12, 1949 Approved: Sept. 13, 1949 Recorded: Sept. 13, 1949

(Continued from page 1) ton, Jr., chairman of the organization's fact-finding committee, from the most remote entrance door the enrollment figures included in the League's reports are secured that in buildings not exceeding from the office of W. C. Petty, Lake County Superintendent of one flight of stairs need be provided Schools, and are taken from signed reports furnished by Lester Ball, forth, and if the stairway and its Superintendent of Schools in Disenclosure extends to a roof having trict 108. They are not subject to interpretation and are submitted

> Mr. Warner reaffirmed the three objectives of the Voters' League as previously announced. 1. To raise the standard of ed-

ers' salaries. 2. To work for full and effiv. That Paragraphs 564 of the cient use of the present school fation 44. Article 13, Chapter 17 of the cilities before increasing taxes for

3. To promote the unification w. That Paragraph 591 of the of the several school districts in tion 11 of Article 15 of Chapter 17 Highland Park in the interest of thereof, be and the same is hereby economy and efficiency, and in accordance with the recommendax. That Paragraph 599, of the tions of the University of Chicago survey of the Highland Park

Mr. Warner added that the members of the League feel that the best plan for tomorrow is one walks. 19. Vault beneath side- based on the facts of today. He walks shall not be permitted in the stated that our immediate obligation is to afford the children now enrolled in school the best possi-5 of Article 16, Chapter 17 thereof, ble standard of education and that be and it is hereby amended and as the expenditure of \$1,400,000 for a school which is not needed is not in the best interests of our child-

He further stated that it is the opinion of the League that if and when an intermediate school should ever be considered, such the lowest opening to a distance of consideration should come only at least two feet above the roof after consolidation of the school materials is used it shall not be less districts, as it is a matter which than eight inches in thickness. If affects all of the children and not any one of the above materials is used in combination with burnt just part of them. This is especifire-clay tile lining it shall be not ally true, he believes, if we are to and the burnt fire-clay flue lining have a single high standard of edshall be not less than three-fourths ucation and to avoid the evils of a inches in thickness, and built as herein described. The walls forming smoke flues of more than one quent problems imposed upon the