

THE DAILY BRITISH WHIG.

60TH YEAR--NO. 67.

KINGSTON, ONTARIO, MONDAY EVENING, MARCH 20, 1893.

TO LET.
JENKINS' STORE,
BROCKSTREET.

PRICE, TWO CENTS.

NEVER--ENDING!

The crowds of people
who visit

R. McFAUL'S

GREAT REMOVAL SALE.

New Goods arriving
daily.

RICHMOND & CO.

Have received 25 Cases of

Fine Dress Goods,

CHALLIES,

PERCALES,

CHAMBRAYS,

ZEPHYRS,

and a magnificent range of
Shot and Plaid Silks.

RICHMOND & CO.



LICENSE NOTICE.

FORMS OF APPLICATION FOR LICENSES
FOR THE SALE OF LIQUOR, ETC., FOR
THE PERIOD FROM APRIL 1, 1893, TO
THE END OF MAY, 1893, WILL BE
MAILED UP AND FILED WITH THE INSPECTOR.

NOT LATER THAN 1ST APRIL,

Or they cannot be accepted, and must contain
the names of two acceptable sureties.

For a person who has at the present time the
right of a voter under the License Act, must
have a voter's card issued to him by the
responsible electors entitled to vote at the
elections for the Legislative Assembly in the polling
district in which he resides.

He must have a voter's card issued to him by
the responsible electors entitled to vote at the
elections for the Legislative Assembly in the polling
district in which he resides, and the said majority
must include at least one-third of the said elect
district, and the said electors must be residents
within the said polling subdivision.

They must be able to show that the applicant
is a voter, and that he has given his consent
to the location of his premises, and that he
has no objection to the location of his premises,

and that they are suitable and contain all the
necessary requirements of the law.

By order of the License Commissioners.

W. GLIDDEN,
Inspector.

Kingston, 17th March, 1893.

AUCTION SALE OF

Very Fine Household Furniture,

Velvet Brussels Carpets, Par-

lor Suite.

I HAVE RECEIVED INSTRUCTIONS FROM

MRS. F. M. MACDONALD, to sell at her

residence, 10 Culver Street, on

WEDNESDAY, March 22nd,

All of her household effects, consisting of a
black walnut bedroom set, extra fine bed
and bedding, a large four-poster bed, a
woven wire mattress, toilet sets, cherry extension
dining table, cherry sideboard, one
sofa, a large sofa, a large piano, a
centre table, cook-cooking range, almost new,
dark mahogany glassware, hall lamp, black wal-
nut piano, a large washstand, a washstand, a
kitchen utensil, with many other articles.

Terms cash. Sale at 10.

R. MARTIN,
Auctioneer.

IMPORTANT AUCTION SALE

OF FURNITURE, ETC.

Will be sold on the premises by Public
Auction, either on bid or otherwise, by
Wm. Murray, Auctioneer, and by virtue
of an Order of the Court of Common Pleas
of Ontario, dated, this 17th day of March, 1893,
GODDS AND CHATELLS, HOUSEHOLD FUR-
NITURE, VELVET BRUSSELS CARPETS, PAR-
LOR SUITE, KITCHEN UTENSILS, CORNER OF KING AND CLAR-
MONT STREETS, KINGSTON.

For further particulars apply to

MCINTYRE & MCINTYRE,
Vendor's Solicitors.

TAXES

From and after the First Day of
April proximo, Warrants will be issued
sued for all unpaid taxes.

By order.

GEO. THOMPSON, Collector.

March 17, 1893.

EASTER HOLIDAYS.

3-16 of an inch in area.

Or 3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in area.

Or 3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of the pipe is most
easily determined by
flexible joints, so as to make it, as far as
possible, conform to the bottom on which
it rests, and to be subjected to the
large pressure of 20 lbs. to the square
inch, it only leaks through an orifice of
11-16 of an inch in length by 4 of an inch
in width, it may be confidently stated
that the pipe is a complete pipe, especially
when it is considered that when in use
it will not be bearing a pressure of 20 lbs.
per the inch, but a pressure of 1 to 2 lbs.
at any rate.

3-16 of an inch in diameter.

Or an opening through which 100 gallons
will pass, under a pressure of 10 lbs. to the
square inch.

3-16 x 5-11-16
or space 3-16 x 5-11-16
of an inch, or
space 3-16 x 5-11-16
in each length of pipe, the
width of